

# **HSDJETS<sup>®</sup>** 广东黄赛航空科技有限公司受控文件

文件名 / 型号	105F16快速组装说明书			版 本	3.0
说 明	1.当前文件为实际翻开顺序，需重新排版印刷。 2.材质：157g 哑粉 3.四色印刷 4.封1至封4均过胶处理。	设 计	蔡召雄	日 期	2019.01.08
		审 核	潘儒周	日 期	2019.01.08
成 品 尺 寸	210x285mm	标 准 化	蔡召雄	日 期	2019.01.08

规格 / Specifications:

翼展 / Wingspan	1245 mm / 49 in
机长 / Length	1809 mm / 71.2 in
重量 / Weight	5.1 Kg / 11.2 ib (8S) 、 5.6 Kg / 12.3 ib (12S)
材料 / Material	EPO
涵道 / EDF	105mm EDF, 12 叶 / blades
起落架 / Landing gear	全金属油压减震电动收放, 标配刹车 / All metal oil shock electric retractable+Brake

配置 / Configuration:

电机 / Motor	4258 / 1000KV(8S), 4258 / 700KV(12S) 无刷 / Brushless
电调 / ESC	160A 专业无刷 / Pro Brushless (2s~12s)
电池 / Battery	6S, 5000mAh, 40C×2 PCS / 8S, 5000mAh, 40C 锂电 / Li-Po
舵机 / Servo	25g×4 PCS, 12g×8 PCS



扫码关注, 谢谢支持!

www.hsdr.com www.hsdgo.com

hsd@hsdjetshuang sai.com

贵州省安顺市西秀区西秀产业园区标准化厂房 F6 栋(邮编: 561099)


Building F6, Standardized Factory Buildings, Xixiu Industrial Park, Xixiu District, Anshun City, Guizhou Province, China (Post: 561099)

©2019 黄赛航空 版权所有

Designed by HSD. Printed in China 2019.01

# HSDJETS®

## 105mm EDF F-16 EPO 快速组装说明 QUICK SETUP MANUAL




产品序列号:

想了解更多产品视频、图片、注意事项等信息  
请登陆: www.hsdr.com www.hsdgo.com


Want to learn more about the product video, pictures, and other matters of attention Please log in: www.hsdr.com www.hsdgo.com

# 105mm EDF F-16 EPO

## 组装步骤 / ASSEMBLY





## 特别提醒 SPECIAL REMINDER



测试重心的通用方法。  
A general method for testing CG.

建议舵量：  
Recommand surface travel:



装机头锁上螺丝后，还需要上胶水粘牢。  
Install head lock screw, also need glue.

注意：平尾与机身上面边缘齐平为基准，平尾向上翘5mm。  
Note: Take the fuselage margin as reference, the horizontal tail upward 5 mm.



# 105mm EDF F-16 EPO

## 起落架爆炸图 / DECOMPOSITION GRAPH

